F1250CS Plus

Compact Pavers



DYNAPAC
FAYAT GROUP

TECHNICAL DATA

Technical data

Auger

Adjustable auger height	6 in
Auger control	Automatic with ultrasonic sensor
Auger diameter	13 in
Auger type	Center drive, reversible

Conveyor

Conveyor control	Proportional with paddle sensor
Conveyor type	One splitted, reversible conveyor with center cover

Undercarriage

Crawler length	54 in
Crawler width	8 in

Screed

Crown profile	4.5 %
Crown profile	-2.5 %
Generator, nominal power	7 kW
Generator, peak power	10 kW

Hopper

Dumping height, center	22 in
Internal hopper width	109 in
Volume	88 ft³
Volume	2.5 m³

Dimension Machine

Front ramp angle	14 °
Working width	138 in

Fluids

Fuel tank	22 US gal

Generator

Nominal power	10.5 kVA
Peak power	10.5 kVA
Type	synchron

Standards and certifications

Guaranteed Sound power level, LwA	104 dB

Capacity

Paving thickness, max	8 in
Paving thickness, min	-6 in
Theoretical paving capacity	300 t/h
Theoretical paving capacity	331 US t/h

Push rollers system

Standard	Damped, pivotable

Drive

Speed, transport	2 mph
Undercarriage type	Crawler

Masses

Weight, basic	15,432 lb
Weight, Max	16,535 lb

Engine

Emission	Tier III
Manufacturer	Deutz
Model	Deutz TD2.9 L4
Rated power	54 kW
Rated power according to standard	54 kW
Type	Water Cooled Turbo Diesel

Engine

Emission	Stage V
Manufacturer	Deutz
Model	Deutz TD2.9 L4
Rated power	54 kW
Rated power according to standard	54 kW
Type	Water Cooled Turbo Diesel

Engine

Emission	CS IV
Manufacturer	Deutz
Model	TD2.9 L4
Rated power	54 kW
Type	Water Cooled Turbo Diesel

Compatible Screeds

V2400	TV / TV E


Screed Working Widths

Basic working width retracted	1.20 m (V2400)
Basic working width extended	2.40 m (V2400)
Maximum working width	3.50 m (V2400)

Dimensions


SIDE VIEW

A	55 in	Axle track
H2	80 in	Transport dimension, height
L1	189 in	Length
L2	172 in	Transport dimension, length
L3	65 in	Length, hopper



FRONT VIEW

B1	111 in	Width, max
B2	57 in	Transport dimension, width
C1	8 in	Crawler width



Questions?

We're happy to help

Find your closest dealer at dynapac.com

