F1250CS Plus

Compact Pavers



DYNAPAC
FAYAT GROUP

TECHNICAL DATA

Technical data

Auger

Adjustable auger height	150 mm
Auger control	Automatic with ultrasonic sensor
Auger diameter	320 mm
Auger type	Center drive, reversible

Conveyor

Conveyor control	Proportional with paddle sensor
Conveyor type	One splitted, reversible conveyor with center cover
Conveyor width	620

Undercarriage

Crawler length	1,400 mm
Crawler width	200 mm

Screed

Crown profile	4.5 %
Crown profile	-2.5 %
Generator, nominal power	7 kW
Generator, peak power	10 kW

Hopper

Dumping height, center	570 mm
Internal hopper width	2,760 mm
Volume	88 ft³
Volume	2.5 m³

Dimension Machine

Front ramp angle	14 °
Working width	3,500 mm

Fluids

Fuel tank	85 l

Generator

Nominal power	10.5 kVA
Peak power	10.5 kVA
Type	synchron

Standards and certifications

Guaranteed Sound power level, LwA	104 dB

Capacity

Paving thickness, max	200 mm
Paving thickness, min	-150 mm
Theoretical paving capacity	300 t/h
Theoretical paving capacity	331 US t/h

Push rollers system

Standard	Damped, pivotable

Drive

Speed, transport	3.3 km/h
Undercarriage type	Crawler

Masses

Weight, basic	7,000 kg

Engine

Emission	Tier III
Manufacturer	Deutz
Model	Deutz TD2.9 L4
Rated power	54 kW
Rated power according to standard	54 kW
Type	Water Cooled Turbo Diesel

Engine

Emission	Stage V
Manufacturer	Deutz
Model	Deutz TD2.9 L4
Rated power	54 kW
Rated power according to standard	54 kW
Type	Water Cooled Turbo Diesel

Engine

Emission	CS IV
Manufacturer	Deutz
Model	TD2.9 L4
Rated power	54 kW
Type	Water Cooled Turbo Diesel

Compatible Screeds

V2400	TV / TV E


Screed Working Widths

Basic working width retracted	1.20 m (V2400)
Basic working width extended	2.40 m (V2400)
Maximum working width	3.50 m (V2400)

Dimensions


SIDE VIEW

A	1,400 mm	Axle track
H2	2,020 mm	Transport dimension, height
L1	4,790 mm	Length
L2	4,380 mm	Transport dimension, length
L3	1,650 mm	Length, hopper



FRONT VIEW

B1	2,820 mm	Width, max
B2	1,450 mm	Transport dimension, width
C1	200 mm	Crawler width



Questions?

We're happy to help

Find your closest dealer at dynapac.com

